



**TWINKLE Stainless Steel Cleaner & Polish**

HMIS		NFPA	Personal protective equipment
Health	1	1	None / Aucune / Ninguno
Fire Hazard	4	4	
Reactivity	0	0	

Version Number: 1

Preparation date: 2007-06-26

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product name:** TWINKLE Stainless Steel Cleaner & Polish

**MSDS #:** 126155001

**Product Code:** 91224

**Recommended use:** Industrial/Institutional. Cleaning product.

**Manufacturer, importer, supplier:**

US Headquarters  
JohnsonDiversey, Inc.  
8310 16th St.  
Sturtevant, Wisconsin 53177-0902  
Phone: 1-888-352-2249  
MSDS Internet Address:  
www.johnsondiverse.com

Canadian Headquarters  
JohnsonDiversey - Canada, Inc.  
2401 Bristol Circle  
Oakville, Ontario L6H 6P1  
Phone: 1-800-668-3131

**Emergency telephone number:** 1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

**2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

CAUTION. CONTENTS UNDER PRESSURE. MAY BE MILDLY IRRITATING TO EYES. MAY BE MILDLY IRRITATING TO SKIN.

**Principle routes of exposure:** Eye contact. Skin contact. Inhalation.

**Eye contact:** May be mildly irritating to eyes.

**Skin contact:** May be mildly irritating to skin.

**Inhalation:** None

**Ingestion:** None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**HAZARDOUS COMPONENTS**

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Butane	106-97-8	5 - 10%	Not available	Not available	=658 g/m <sup>3</sup> (4 h)
Propane	74-98-6	5 - 10%	Not available	Not available	Not available

**4. FIRST AID MEASURES**

**Eye contact:** Flush immediately with plenty of water. If irritation develops, get medical attention.

**Skin contact:** Flush immediately with plenty of water. If irritation develops, get medical attention.

**Inhalation:** No specific first aid measures are required.

**Ingestion:** No specific first aid measures are required.

**Aggravated Medical Conditions:** None known.

**5. FIRE-FIGHTING MEASURES**

**Suitable extinguishing media:** Dry chemical, water spray, foam, carbon dioxide.

**Specific hazards:** Aerosol product - Containers may rocket or explode in heat of fire. NFPA 30B Level 1 Aerosol .

**Unusual hazards:** None known

**Specific methods:** No special methods required

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

**Extinguishing media which must not be used for safety reasons:** No information available

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Put on appropriate personal protective equipment (see Section 8.). Remove all sources of ignition.  
**Environmental precautions and clean-up methods:** No information available

## 7. HANDLING AND STORAGE

### Handling:

Avoid contact with skin and eyes. CONTENTS UNDER PRESSURE. Do not puncture or incinerate. Keep away from open flames, hot surfaces and sources of ignition. Do not use or spray on floors. Do not let product overspray on to the floor as the product's ingredients could make the floor slippery. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

### Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. NFPA 30B Level 1 Aerosol . Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 degrees C or 120 degrees F. Do not pierce or burn, even after use. KEEP OUT OF REACH OF CHILDREN.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Engineering measures to reduce exposure:

No special ventilation requirements. General room ventilation is adequate.

### Personal Protective Equipment

**Eye protection:** No special requirements under normal use conditions.  
**Hand protection:** No special requirements under normal use conditions  
**Skin and body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** No special requirements under normal use conditions.  
**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Butane	106-97-8	1000 ppm (TWA)		800 ppm (TWA) 1900 mg/m <sup>3</sup> (TWA)
Propane	74-98-6	1000 ppm (TWA)	1000 ppm (TWA) 1800 mg/m <sup>3</sup> (TWA)	

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b>	Aerosol	<b>Bulk density:</b>	No information available
<b>pH:</b>	10.8	<b>Dilution pH:</b>	No information available.
<b>Appearance:</b>	Aerosol	<b>Vapor density:</b>	No information available
<b>Color:</b>	White	<b>Evaporation Rate</b>	No information available
<b>Odor:</b>	Lemon	<b>Boiling point/range:</b>	Not determined
<b>Specific gravity:</b>	0.85	<b>Melting point/range:</b>	Not determined
<b>Density:</b>	7.09 lbs/gal	<b>Decomposition temperature:</b>	Not determined
<b>VOC:</b>	15% *	<b>Autoignition temperature:</b>	No information available
<b>Flash point:</b>	<20°F <7°C	<b>Partition coefficient (n-octanol/water):</b>	No information available
<b>Solubility:</b>	Dispersible	<b>Solubility in other solvents:</b>	No information available
<b>Viscosity:</b>	No information available	<b>Elemental Phosphorus:</b>	0 %P

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## 10. STABILITY AND REACTIVITY

**Stability:** The product is stable  
**Polymerization:** Hazardous polymerization does not occur  
**Hazardous decomposition products:** None reasonably foreseeable.

## 11. TOXICOLOGICAL INFORMATION

**Acute toxicity:** Oral LD50 estimated to be greater than 5000 mg/kg; Dermal LD50 estimated to be > 2000 mg/kg  
**Component Information:** See Section 3  
**Chronic toxicity:** None known  
**Specific effects**  
**Carcinogenic effects:** None known  
**Mutagenic effects:** None known  
**Reproductive toxicity:** None known  
**Target organ effects:** None known

## 12. ECOLOGICAL INFORMATION

Environmental Information: No data available

## 13. DISPOSAL CONSIDERATIONS

### Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

## 14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

## 15. REGULATORY INFORMATION

### International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

### U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

### STATE RIGHT TO KNOW

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Silicones	63148-62-9	-	-	-	-
Butane	106-97-8	X	X	X	X
Propane	74-98-6	X	X	X	X
Water	7732-18-5	-	-	-	-
White mineral oil	8042-47-5	-	-	-	-

### CERCLA/ SARA

#### SARA 311/312 Hazard Categories

Immediate: -  
Delayed: -  
Fire: X  
Reactivity: -  
Sudden Release of Pressure: X

### Canada

WHMIS hazard class: A Compressed gases.



Ingredient(s)	CAS #	NPRI
Butane	106-97-8	X
Propane	74-98-6	X

## 16. OTHER INFORMATION

Reason for revision: Not applicable

Prepared by: NAPRAC

Additional advice: None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.