

THE WESTPORT COMPANY
 3309 W. 118TH STREET
 CLEVELAND, OHIO 44111
 PHONE/FAX: (216) 671-2262

MATERIAL SAFETY DATA SHEET

PRODUCT SUDS Carpet and Upholstery Cleaner

SECTION I:

MANUFACTURER'S NAME: THE WESTPORT COMPANY	EMERGENCY TELEPHONE NUMBER: (216) 231-4455
ADDRESS: 3309 W. 118TH STREET CLEVELAND, OHIO 44111	TELEPHONE NUMBER FOR INFORMATION: PHONE or FAX: (216) 671-2262
DATE PREPARED: 10-15-94	

SECTION II: HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

HAZARDOUS COMPONENTS CHEMICAL IDENTITY / COMMON NAME	CASRN	WT %	OSHA PEL	ACGH / TLV
SODIUM LAURYL SULFATE	151-21-3	13.99%	N/E	N/E
AMMONIUM LAURYL SULFATE	2235-54-31	.33%	N/E	N/E
WATER / INERTS	N/A	85.68%	N/E	N/E

SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS

APPEARANCE AND ODOR: Clear, medium blue liquid; very mild aroma.

FREEZING POINT: apx. 0° C / 32 f **VAPOR PRESSURE:** 23.5 **H₂O SOLUBILITY:** Complete

BOILING POINT: apx. 100° C **VAPOR DENSITY:** <1 **PERCENT VOLATILE:** 70

SPECIFIC GRAVITY: 1.0 **EVAPORATION RATE:** <1 **VISCOSITY:** < 500 cps

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: NONE **EXPLOSIVE LIMITS:** LEL: N/A UEL: N/A

EXTINGUISHING MEDIA: Use carbon dioxide or dry chemicals for small fires; alcohol foam, universal foam or water spray for large fires.

SPECIAL FIRE FIGHTING PROCEDURES: None required.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers may rupture (due to build up of pressure) when exposed to extreme heat.

>> END OF PAGE NO. 1 - THIS REPORT CONTINUES ON NEXT PAGE<<

THE WESTPORT COMPANY
3309 W. 118TH STREET
CLEVELAND, OHIO 44111
PHONE/FAX: (216) 671-2262

MATERIAL SAFETY DATA SHEET

PRODUCT: **SUDS Carpet and Upholstery Cleaner**

SECTION V - REACTIVITY DATA

STABILITY: Stable CONDITIONS TO AVOID: Excessive heat.

HAZARDOUS POLYMERIZATION: Will not occur

INCOMPATIBILITY (Materials to avoid): N/A

HAZARDOUS DECOMPOSITION PRODUCTS: N/A

SECTION VI - HEALTH HAZARD DATA

ACUTE

INHALATION: Low volatility makes vapor inhalation unlikely. Aerosol may be irritating.

SKIN CONTACT: Might cause moderate irritating in some individual.

EYE: Moderately irritating

SECTION VII - EMERGENCY AND FIRST AID PROCEDURES

INHALATION: Not an expected route of exposure. If vapors or mist cause irritation or distress, remove subject to fresh air.

EYE CONTACT: Flush eyes with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.

SKIN CONTACT: Wash with soap and water.

INGESTION: DO NOT INDUCE VOMITING. Give large amounts of water or milk and seek medical attention.

SECTION VIII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE OF SPILLS OR LEAKS:

Dike spill. Absorb with inert material and collect for disposal. Flush area with water. Prevent washings from entering waterways. Spills may be reportable to the National Response Center (800-424-8802).

WASTE DISPOSAL METHODS:

Incinerate or use biological treatment or landfill in accordance with federal, state and local regulations. Material is not a hazardous waste under current RCRA regulations.

>> END OF PAGE NO. 2 - THIS REPORT CONTINUES ON NEXT PAGE<<

THE WESTPORT COMPANY
3309 W. 118TH STREET
CLEVELAND, OHIO 44111
PHONE/FAX: (216) 671-2262

MATERIAL SAFETY DATA SHEET

PRODUCT **SUDS Carpet and Upholstery Cleaner**

SECTION IX - SPECIAL PROTECTION INFORMATION

VENTILATION: Normal room ventilation.

RESPIRATORY PROTECTION: None needed.

PROTECTIVE GLOVES: None needed.

EYE PROTECTION: None needed.

OTHER PROTECTIVE EQUIPMENT: None needed.

SECTION X - TOXICITY INFORMATION

Oral LD50 = (RAT) 4.7 G/KG

Not a DDT skin corrosive

Skin (HMN) 250 mg/24H - Mild

Skin (RBT) 250 mg/24H - Moderate

Eye Irritation Score (RBT) = 34.3

SECTION XI - STORAGE AND HANDLING PROCEDURES

Avoid prolonged contact with skin. Avoid contact with eyes. Keep containers closed. Store between 40 F and 120 F. Frozen material may be thawed in a warm room. Avoid localized overheating. Vent drums while heating. Roll drum frequently to assure homogeneity.

SECTION XI - REGULATORY AND ENVIRONMENTAL INFORMATION

All components of this product are listed on the TSCA inventory. The following chemicals, which have been identified by the State of California as Carcinogens or Reproductive Toxicants, are present at the levels listed below.

Formaldehyde, CAS# 50-00-0 < 500 ppm

SECTION XII - ADDITIONAL INFORMATION

Common abbreviations that may have been used in this document:

N/E = Not Established

N/A = Not Applicable

PREPARED BY:
The Westport Company

The information herein is given in good faith but no warranty is expressed or implied.

>> END OF PAGE NO. 3 and MATERIAL SAFETY DATA SHEET <<