

Product Name:

Stain-X Pet Odor Neutralizer


Section I - General Information

AMI/Stain-X

PO Box 259662
Madison, WI 53725-9662
608-268-2090

Emergency Phone: 608-268-2090

Hazard Fire Rating



Section II - Principal and/or Hazardous Ingredients

N/E = None Established

Ingredient:

N/E

CAS No.

Proprietary

Other:

These items may require reporting under Title III, Section 313 (40CFR 372)

Section III - Physical Data

Boiling Point:	Not Determined
Vapor Pressure (mm Hg):	Not Determined
Vapor Density (air=1):	Not Determined
Solubility in Water:	Water Based - Complete
Appearance and Odor:	Light yellow liquid with slight, pleasant, organic scent
Specific Gravity and/or Weight Per Gallon:	1.01
pH:	7.5 (+/- .3)

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used):	Non-combustible
Flammability Limits In Air = Lower	N/A
= Upper	N/A
Extinguishing Media:	Water spray, CO2, dry chemical or foam for surrounding fire.

Special Fire Fighting Procedures and Unusual Fire Hazards: Under extreme fire conditions, this material may give off oxides of carbon and nitrogen. Wear protective clothing to prevent any skin or eye contact with this material.

Section V - Health Hazard Data

Effect of over-exposure:

Moderate irritation to tissue with possible corneal injury to eye. Ingestion may produce signs of intoxication.

Emergency and First Aid Procedures:

Ingestion: If conscious, give victim water. Do not induce vomiting. Keep airway clean. Get medical attention immediately.
Inhalation: Remove victim to fresh air, if unconscious give artificial respiration. Consult a physician immediately.
Skin: Flush effected area with cool water for at least fifteen minutes. Wash thoroughly with soap and water. Remove contaminated clothing. If effected area is irritated or red, consult a physician.
Eyes: Flush eyes with water for at least 15 minutes, holding eyelids apart. Consult a physician.

Section VI – Reactivity Data

Stability:	Stable
Conditions to Avoid:	Extreme heat.
Incompatibility:	Strong oxidizing agents and water reactive materials
Hazardous Decomposition Products:	Under extreme fire conditions could give off oxides of carbon and nitrogen
Hazardous Polymerization:	Will not occur

Section VII – Spill or Leak Procedures

Steps to be taken in case material is released or spilled:

If necessary, contain spill with with diking agent. Transfer contained and spilled material to a chemically compatible container for reuse or disposal.

Waste Disposal Method:

Dispose of in accordance with Federal, State, and Local Regulations.

Section VIII – Special Protection Information

Respiratory Protection:	NIOSH or MSHA approved respirator when dust, mists or vapors are present
Ventilation: Local	Use local exhaust ventilation
Mechanical:	None
Special:	None
Protective Gloves:	Impervious
Eye Protection:	Goggles or protective face shield if there is danger of spraying into eyes.
Other Protective Equipment:	Rubber apron and boots. Evewash available in area.

Section IX – Special Precautions

Precautions to be taken in handling and storage:

Store in a cool dry place away from incompatible materials.

Other Precautions:

Keep from freezing.

To the best of our knowledge, the information contained herein is accurate. However, neither the above named manufacturer nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any materials is the sole responsibility of the user. All material may present unknown hazards and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards that exist.

Keep this and all chemicals away from children.